

Grab Rail Brochure









Providing the Right Equipment for People Who Need it

www.amilakesouthern.co.uk

GRAB RAILS

Materials:- Grab rails from 304 grade stainless steel available in two diameters 28 mm and 35 mm fixing: Standard rails in both diameters supplied with exposed fixing flanges.

35 mm also available with 'Eclipse' concealed fixing.



Exposed flange



'ECLIPSE' Concealed flange

Finishes: Grab rails available:

Stainless Steel

White Coated



Stagrip



Colour -



HINGED ARM SUPPORTS

Hinged arm supports and allied products in either polished stainless steel or white coated.


SHOWER SEATS


Shower seats with or without legs, back or armrests in white coated finish.


ACCESSORIES


Not shown but also available are towel rails, curtain rails, sink and basin supports.


IF IT IS NOT HERE IN THIS CATALOGUE THEN PLEASE ENQUIRE
STOCK OR SPECIAL WE ARE HAPPY TO HELP












-	SAS CONTRACTOR OF THE PARTY OF	1	710707-00
	RANGE	28m m	35mm
	WHITE	1	1
	S/STEEL	~	1
	ECLIPSE	х	~
	STAGRIP	~	~
	COLOUR	×	~

AM2

Straight grab rails of standard or special lengths.

Stock held in:-

300 - 450 - 600 mm




RANGE	28m m	35m m
WHITE	х	~
STAINLESS STEEL	×	~
ECLIPSE	x	~
STAGRIP	х	x
COLOUR	×	1

AM27

Backrest rail with padded cushion.

AM17

As above but without cushion.




28m m	35m m
х	~
х	1
x	~
х	1
х	1
	x x x

AM7

Floor to ceiling support pole 2700mm long, fixed floor flange, loose top flange.

AM8

As above but with additional horizontal rail 500 mm long as standard, height to be specified.



RANGE	28m m	35m m
WHITE	1	~
STAINLESS STEEL	1	~
ECLIPSE	×	~
STAGRIP	1	1
COLOUR	х	~

AM12

135° angled handrail 375 mm x 375 mm


AM₃

Horizontal bath rail on two walls, bath surround area 1220 mm x 610 mm.

AM16

Horizontal shower rail on two walls, shower area 700 mm x 700 mm.


RANGE	28m m	35m m
WHITE	~	~
STAINLESS /STEEL	1	1
ECLIPSE	х	~
STAGRIP	1	. 1
COLOUR	×	1



AM9

Bath support rail with adjacent wall fixing 650 mm x 750 mm x 375 mm.

RANGE	28mm	35m m
WHITE	1	~
STAINLESS STEEL	1	1
ECLIPSE	х	1
STAGRIP	1	1
COLOUR	×	х




AM14

90° angled rail with three flange fixing. Sizes 815 mm x 405 mm and 600 mm x 600 mm

Available left or right hand fixing.

RANGE	28m m	35m m
WHITE	~	~
STAINLESS STEEL	1	~
ECLIPSE	х	~
STAGRIP	~	1
COLOUR	х	1



AM25

WC support rail for ambulant users only restricts wheelchair access.

740 mm high x 700 mm projection.

RANGE	28m m	35m m
WHITE	X	1
STAINLESS STEEL	х	. 🗸
ECLIPSE	×	×
STAGRIP	х	~
COLOUR	х	х

